PIXMA TS8250

SUPERB PHOTOS FROM A 6-INK ALL-**IN-ONE WITH WIRELESS** CONNECTIVITY

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.







- Exceptional photo printing from 6 individual inks
- · Smart device and cloud connectivity with PIXMA Cloud Link
- · Large touchscreen with intuitive user interface
- · 2-way paper feed for total flexibility
- Optional XL and XXL* cartridges to cut costs and print more *Subject to availability in your region



Auto 2-sided Print











PRODUCT RANGE



PIXMA TS8250



PIXMA TS9150 Series



PIXMA TS9550 Series

PIXMA TS8250 PIXMA TS9150 Series PIXMA TS9550 Series PIXMA TS6250 Series



TECHNICAL SPECIFICATIONS

PIXMA TS8250

GENERAL SPECIFICATIONS

Model Numbers

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed **Borderless Printing**

Two Sided Printing Direct Disc Printing

CARTRIDGES AND YIELDS Standard Ink Cartridaes

Optional XL Ink Cartridaes

Optional XXL Ink Cartridaes

Ink Tanks Yield (Plain paper)

Ink Tanks Yield (Photo print)

PIXMA TS8250 (BLACK)

Wireless, Print, Copy, Scan, Cloud Link

Up to 4800 ^[1] x 1200 dpi

6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB)

Approx. 15.0 ipm Approx. 10.0 ipm [2]

Borderless 10x15cm : Approx. 17 seconds $^{[3]}$ Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm)

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

6 individual ink tanks

PGI-580PGBK (Pigment Black) CLI-581BK (Black) CLI-581C (Cyan) CLI-581M (Magenta) CLI-581Y (Yellow) CLI-581PB (Photo Blue)

High yield XL ink tanks PGI-580PGBK XL (Pigment Black) CLI-581BK XL (Black)

CLI-581C XL (Cyan) CLI-581M XL (Magenta) CLI-581Y XL (Yellow) CLI-581PB XL (Photo Blue) High yield XXL ink tanks

PGI-580PGBK XXL (Pigment Black) CLI-581BK XXL (Black)

CLI-581C XXL (Cyan) CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow) CLI-581PB XXL (Photo Blue) A4 Colour Document [4]

Pigment Black: 200 pages Pigment Black XL: 400 pages Pigment Black XXL: 600 pages Black: 750* pages Black XL: 2280* pages Black XXL: 4590* pages

Cyan: 259 pages Cyan XL: 519 pages Cyan XXL: 830 pages Magenta: 223 pages Magenta XL: 466 pages Magenta XXL: 747 pages Yellow: 259 pages Yellow XL: 519 pages Yellow XXL: 830 pages Photo Blue: 1660* pages Photo Blue XL: 4710* pages Photo Blue XXL: 9140* pages

* Estimated supplemental yield 10x15cm photo [5]

Pigment Black: 1444* photos Pigment Black XL: 3883* photos Pigment Black XXL: 7337* photos Black: 213* photos Black XL: 505* photos

Black XXL: 802* photos Cyan: 80 photos Cyan XL: 178 photos Cyan XXL: 304 photos Magenta: 107 photos Magenta XL: 247 photos Magenta XXL: 406 photos Yellow: 80 photos Yellow XL: 178 photos Yellow XXL: 304 photos Photo Blue: 240 photos Photo Blue XL: 505 photos Photo Blue XXI: 802 photos

* Estimated supplemental yield

PAPER SUPPORT Paper Types

Plain Paper

Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101) Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501)

Canon Matte (MP-101) Envelopes

Other Fine Art Papers
Printable Discs
Removable Photo Stickers (RP-101)
Magnetic Photo Paper (MG-101)

Rear Tray: Max. 20 sheets (photo paper) or Max. 100 Maximum Paper Input

sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)

Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

Rear Tray: Paper Sizes

A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13 cm/8.9x8.9cm, Envelopes (DL,COM10)

[Custom size] width 55mm - 215.9 mm, length 89mm -

Front Cassette: A4, A5, B5, LTR

Colour: RGB each 16bit/8bit

Grevscale: 16 bit / 8 bit

sFCOT: Approx. 19sec ^[8] sESAT: Approx. 6.5ipm ^[8]

25 - 400% (in 1% increments)

[Custom size] width 148.0 mm - 215.9 mm, length

210mm - 297mm

2400 x 4800 dpi [6] Approx 14 sec [7]

216 x 297 mm

max. 99 pages

Paper Weight Rear Tray: Plain paper 64 - 105 g/m², Canon photo

paper up to 300 g/m² Front Cassette: Plain Paper: 64-105 g/m²

CIS flatbed photo and document scanner

Document Copying, Photo Copying, Borderless

Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical)

A4 Scan Speed Scanning Depth (Input / (tuatuO

Maximum Document Size

COPIER SPECIFICATIONS

Copy Speed Multiple Copy

Copy Functions

Copy Zoom

INTERFACE Display Type & Size

Interface Type - PC / Mac

Interface Type - Other

Display Languages 33 Languages Selectable: Japanese/English(mm &

inch]/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Cze ch/Hungarian/Polish/Slovene/Turkish/Greek/Simplifie d Chinese/Traditional

10.8cm LCD (TFT colour/Touch)

Chinese/Korean/Indonesian/Slovakian/Estonian/Latv ian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/

Croatian/Vietnamese Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n

Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

Wireless LAN Frequency Band: 2.4GHz

Canon PRINT Inkjet/SELPHY app Bluetooth

Message In Print app Nail Sticker app

PIXMA Cloud Link Canon Print Service Plugin (Android)

Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode WLAN PictBridge Memory Card Slot Mopria (Android)

Canon

TECHNICAL SPECIFICATIONS

PIXMA TS8250

Compatible Memory Cards

SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card*

mini SDHC Card*, micro SDHC Card*, microSDXC

*Using recommended adapter - not supplied

Easy-WebPrint EX (download)

SOFTWARE

Supported Operating Systems

Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.10.5~OS X 10.11 ,macOS 10.12~macOS 10.13

Supported Mobile Systems Minimum System Requirements

Software Included

PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Recommended Operating Environment Power Source Power Consumption

iOS, Android, Windows 10 Mobile Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA MP Driver including Scanning Utility

approx. 6.6kg approx. 373 x 319 x 140 mm approx. 49dB(A) [10] Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.3W

Time to enter Standby mode: 10min 56sec Copying: Approx. 16W [11]

Standby (connected to PC via USB): Approx. 1.1W (scanning lamp off) Standby (all ports connected): Approx. 2.0W (scanning lamp is off)

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard
- Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- Easy-WebPrint EX requires Internet Explorer 8 or later
 When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2018



SUPERB PHOTOS FROM A 6-INK ALL-IN-ONE WITH WIRELESS CONNECTIVITY

PIXMATS8250

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.

Sales Start Date: Sep 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code		
PIXMA TS8250 BK EUR	2987C008AA	4549292117660		

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
CLI-581 PB	2107C001AA	4549292087123
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
CLI-581XL PB	2053C001AA	4549292087055
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959
CLI-581XXL PB	1999C001AA	4549292086966



SUPERB PHOTOS FROM A 6-INK ALL-IN-ONE WITH WIRELESS CONNECTIVITY

PIXMATS8250

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS8250 BK EUR	2987C008AA	EA	Individual	1	446	212	457.9	8.4	6.5
			Pallet (Upper)	20	1070	897	920.3	169.1	167.8
			Pallet (Bottom)	30	1070	897	1378.2	253.4	251.7

What's in the box?

- All-In-One printer PIXMA TS8250 Series
- Set-up ink tanks
- · Power cord
- Set-up CD-ROM
- · Manuals and other documents

